

Ashcombe 54" in Agean Limestone

Backpanel

Merrick highlight cast iron

Fire

Glass fronted gas convector (slide control) Flare Fireframe polished

Hearth

Honed granite

Fuel options for Backpanels


















Balham 56" in Agean Limestone

Backpanel

Provident highlight cast iron

Fire

Glass fronted gas convector (slide control) Provident Fireframe highlight

Hearth

Polished granite

Fuel options for Backpanels









Balham 56" in Liberty White Marble

Chamber

Natural reeded fireboard

Stove

Sirius 405 Classic Cleanburn (Defra approved for burning wood in smoke control areas)

Hearth

Honed granite (slabbed for multi-fuel)













Chalfont 56" in Agean Limestone

Steel Plate

Capital Classic Fascia Plate brushed steel (black steel back plate)

Fire

Real Wood with Capital Plate fret black

Hearth

Honed granite (Slabbed for multi-fuel)

Fuel options for Steel Plates









Chancery 52" in Travertine Marble

Arch

Wandsworth highlight cast iron arch

Fire

Bespoke gas burner

Hearth

Polished granite

Fuel options for Arches













Chancery 52" in Agean Limestone

Backpanel

Polished granite slips

Stove

Sirius 450 Contemporary Inset Cleanburn (Defra approved for burning wood and anthracite in a smoke control area)

Hearth

Polished granite









Chancery 56" in Travertine Marble

Chamber

London Stock brick

Stove

Sirius 545 original

Hearth

Slate (slabbed for multi-fuel)













Everley 48" in Agean Limestone

Arch

Wandsworth 14" highlight cast iron

Fire

Bespoke gas burner

Hearth

Polished granite

Fuel options Arches









Everley 48" in Travertine Marble

Backpanel

Polished granite slips

Stove

Sirius 450 Contemporary Inset Cleanburn (Defra approved for burning wood and anthracite in a smoke control area)

Hearth

Polished granite slabbed for multi-fuel

Firetools

Tee set









Grosvenor 56" in Carrara Marble

(also available in 60")

Steel Plate

Capital Classic Fascia Plate brushed steel (steel back plate)

Fire

Decorative open fronted gas, Capital Plate trim brushed steel and Capital Plate fret highlight

Hearth

Honed granite

Fuel options for Steel Plates









Grosvenor 60" Carrara Marble (above)





Grosvenor 56" in Liberty White Marble

Hob

The Plain Hob Grate brushed steel

Fire

Bespoke gas burner

Hearth

Polished granite

Fuel options for Hobs











Hanwell 54" in Agean Limestone

Backpanel

Oxford highlight cast iron

Fire

Glass fronted gas convector (slide control) Capella Fireframe polished

Hearth

Polished granite

Fuel options for Backpanels

















Hanwell 54" in Travertine Marble

Chamber

London Stock brick

Stove

Sirius 450 Contemporary Cleanburn. (Defra approved for burning wood and anthracite in a smoke control area)

Hearth

Polished granite (slabbed for multi-fuel)





Hersham 48" in Agean Limestone

Arch

Wandsworth 14" black cast iron

Fire

Real wood

Hearth

Polished granite (slabbed for multi-fuel)

Fuel options for Arches













Hersham 54" in Agean Limestone

Arch

Wandsworth highlight cast iron

Fire

Bespoke gas burner

Hearth

Polished granite

Fuel options for Arches









Insert option (above)

Provident cast iron backpanel Glass fronted gas convector fire (slide control) Provident Fireframe highlight














Hersham 54" in Carrara Marble

(also available in Liberty White Marble)

Hob

The Plain Hob Grate brushed steel

Fire

Real wood

Hearth

Honed granite (slabbed for multi-fuel)

Fuel options for Hobs







Hersham 54" Liberty White Marble (above)

Kensington 56" in Agean Limestone

Steel Plate

Capital Classic Fascia Plate brushed steel (brushed steel back plate)

Fire

Decorative open fronted gas, Capital Plate trim brushed steel and Capital Plate fret highlight

Hearth


Agean Limestone

Fuel options for Steel Plates

















Kensington 56" in Liberty White Marble

Arch

Carlisle black cast iron

Fire

Shown without a fire (decorative lights not included)

Hearth

Honed granite (slabbed for multi-fuel)









Mulholland 54" in Agean Limestone

(Shown without cushion fitted)

Tiled Insert

Nouveau highlight cast iron with Tulip cast iron tile panels

Fire

Bespoke gas burner

Hearth

Honed granite

Fuel options for Tiled Inserts









Insert Option (above)

©greencast Wandsworth highlight cast iron arch

©greencast balanced flue gas fire







Mulholland 54" in Travertine Marble

Arch

©greencast Wandsworth highlight cast iron

Fire

⊚ greencast HE Balanced Flue gas (Open fronted gas convector, Glass Fronted gas convector & Slimline Open & Glass Fronted gas convector models are also available)

Hearth

Polished granite

Fuel options for **@green**cast









Regent 57" in Agean Limestone

Arch

Wandsworth black cast iron (large burning area)

Fire

Real wood

Hearth

Slate hearth (slabbed for multi-fuel)


















Regent 57" in Carrara Marble

Fascia Plate & Chamber

Capital Plain Fascia Plate brushed steel with glass slip & Natural Reeded fireboard

Firebasket

Bamburgh full polished with bespoke gas burner

Hearth

Polished granite

Fuel options for Firebaskets









Regent 57" in Travertine Marble

Tiled Insert

Nouveau black cast iron

Fire

Real wood

Hearth

Polished granite (slabbed for multi-fuel)

Fuel options for Tiled Inserts

















Sandringham 54" in Carrara Marble

Arch

Wandsworth full polished cast iron

Fire

Bespoke gas burner

Hearth

Waterfall polished granite











Sandringham 54" in Liberty White Marble

Arch

Carlisle highlight cast iron

Fire

Bespoke gas burner

Hearth

Slate

Fire tools

Sienna

















Swinford 48" in Agean Limestone

Chamber

Rustic brick

Stove

Sirius 405 Original (Cleanburn version also available, Defra approved for burning wood in a smoke control area)

Hearth

Honed granite (slabbed for multi-fuel)

Fuel options for Sirius Stoves





Byron 46" Solid Oak

(option with under mantel ambient lighting available)

Backpanel

Polished granite

Fire

Glass fronted gas convector (slide control) Provident Fireframe highlight

Hearth

Polished granite

Fuel options for Backpanels







Close up shown with ambient lighting











Byron 54" Solid Oak

(option with under mantel ambient lighting available)

Mirror

Linear in solid oak

Arch

Wandsworth black cast iron

Fire

Bespoke gas burner

Hearth

Polished granite

Fuel options for Arches







Close up shown with ambient lighting



Copgrove 54" Solid Oak

(option with under mantel ambient lighting available)

Mirror

Edge in solid oak

Backpanel

Oxford highlight cast iron

Fire

Open fronted gas convector (manual control) Capella Fireframe polished

Hearth

Polished granite

Fuel options for Backpanels









Copgrove 54" Solid Oak with Ambient Lighting (above)

Mocha Beige back panel Gradient glass fronted gas convector (slide control) with ceramic coals, satin steel trim & 16" Bauhaus fret polished









Levisham 54" Solid Oak

Backpanel

Polished granite

Fire

Open fronted gas convector (manual control) Capella Fireframe Bronze finish

Hearth

Polished granite

Fuel options for Backpanels

















Fairburn 36" in Black

Fire

Real wood (larger burning area)

Hearth

Polished granite (slabbed for multi-fuel)









Fairburn 36" in Full Polished

Fire

Bespoke gas burner

Hearth

Polished granite













Fairburn 36" in Highlight

Fire

Bespoke gas burner

Hearth

Polished granite

















©greencast Fairburn 36" in Highlight

Fire

© greencast HE open fronted gas convector (Balanced Flue gas, Glass Fronted gas convector & Slimline Open & Glass Fronted gas convector models are also available)

Hearth

Polished granite


Fuel options for **@green**cast











Fairburn 48" in Black

Fire

Real wood (larger burning area)

Hearth

Polished granite (slabbed for multi-fuel)









Fairburn 48" in Full Polished

Fire

Bespoke gas burner

Hearth

Polished granite













Cast Iron Fireplaces

Harewood 36" in Black

Fire

Real wood

Hearth

Basalt Tiled (slabbed for multi-fuel)

Fuel options for Cast Iron Fireplaces













Cast Iron Fireplaces

Harewood 36" in Full Polished

Fire

Bespoke gas burner

Hearth

Honed granite

Fuel options for Cast Iron Fireplaces

















Cast Iron Fireplaces

Harewood 36" in Highlight

Fire

Bespoke gas burner

Hearth

Polished granite

Fuel options for Cast Iron Fireplaces









Mantels at a glance






















AVAILABLE IN CARRARA MARBLE



AVAILABLE IN AGEAN LIMESTONE & TRAVERTINE MARBLE

	A	В	С	D	E	F	G	н
ASHCOMBE 54"	1370	1090	915	900	1275	190	75	145
BALHAM 56"	1420	1145	915	915	1305	230	75	165
BYRON 46"	1170	1095	830	900	1250	205	25	150
BYRON 54"	1365	1135	915	915	1110	205	25	155
CHALFONT 56"	1420	1155	915	915	1325	220	75	180
CHALFONT 60"	1525	123 0	915	915	1430	220	75	180
CHANCERY 52"	1320	1120	915	915	1330	170	75	175
CHANCERY 56"	1420	1170	915	915	1430	185	75	185
COPGROVE 54"	1370	1140	915	915	1275	195	25	155
EVERLEY 48"	1220	1090	730	860	1115	180	75	150
GROSVENOR 56"	1420	1160	915	915	1295	250	75	145

	A	В	C	D	E	F	G	Н
GROSVENOR 60"	1525	1175	915	915	1395	275	75	165
HANWELL 54"	1370	1145	915	915	1305	190	75	155
HERSHAM 48"	1220	1080	785	880	1115	180	75	140
HERSHAM 54"	1370	1115	915	915	1305	180	75	140
KENSINGTON 56"	1420	1180	915	915	1285	200	75	130
LEVISHAM 54"	1370	1060	830	830	1250	180	25	120
MULHOLLAND 54"	1380	1265	915	915	1255	170	75	145
REGENT 57"	1450	1130	915	915	1340	230	75	180
SANDRINGHAM 54"	1370	1145	915	915	1285	260	75	150
SWINFORD 48"	1220	1030	720	810	1120	200	75	150

Mantels at a glance








AVAILABLE IN AGEAN LIMESTONE & LIBERTY WHITE MARBLE








AVAILABLE IN CARRARA MARBLE & LIBERTY WHITE MARBLE













Cast iron fireplaces at a glance



FAIRBURN 36" BLACK



FAIRBURN 36" FULL POLISHED



FAIRBURN 36" HIGHLIGHT



FAIRBURN 48" BLACK



FAIRBURN 48" FULL POLISHED



HAREWOOD 36" BLACK



HAREWOOD 36" FULL POLISHED



HAREWOOD 36"
HIGHLIGHT



	A	В	С	D	E	F	G	н
FAIRBURN 36"	780	1000	455	655	595	730	N/A	915
FAIRBURN 48"	1015	1185	450	655	745	805	N/A	1200
HAREWOOD	780	1015	410	550	640	805	N/A	915



This new brand was launched in 2010, to deliver efficient gas fires within more traditional and sometimes ornate cast iron fireplaces.

We have sought from the design stage to combine the two critical components, the fires and the cast iron surrounds in unison to deliver an aesthetically pleasing integrated appliance that offers you a choice of gas fire and one of the best fuel efficiencies for any integrated appliance on the market.








@greencast wandsworth Highlight Cast Iron Arch

FIRE	INPUT	OUT PUT	DEPTH	EFFICIENCY	CERAMICS
FIRE	INFOI	001701	DEFIN	EFFICIENCY	COAL
FULL DEPTH OPEN FRONTED CONVECTOR	6.9kW	3.5kW	255	55.8%	✓
SLIMLINE OPEN FRONTED CONVECTOR	6.5kW	2.6kW	125	44.0%	✓
FULL DEPTH GLASS FRONTED CONVECTOR	5.0kW	2.9kW	255	64.2%	✓
SLIMLINE GLASS FRONTED CONVECTOR	4.0kW	2.7kW	125	74.0%	✓
BALANCED FLUE	4.6kW	3.9kW	212	94.0%	1

Cast Iron Fireplace

Insert





H B F D C E A

	A	В	С	D	E	F	G	н
GREENCAST FAIRBURN 36"	825	1005	455	690	575	745	n/a	915
GREENCAST WANDSWORTH	940	940	455	690	780	855	75	n/a

Arches at a glance







CARLISLE HIGHLIGHT



WANDSWORTH BLACK



WANDSWORTH FULL POLISHED




WANDSWORTH HIGHLIGHT




WANDSWORTH 14" BLACK



WANDSWORTH 14" HIGHLIGHT



В Б




	A	В	С	D	E	F	G	- 1	J	K
CARLISLE	940	940	405	645	825	850	70	430	710	180
WANDSWORTH	1016	1016	450	665	795	835	80	530	730	190
WANDSWORTH 14"	940	940	365	665	675	820	75	440	730	160

Cast Iron backpanels at a glance




Steel plates at a glance

STEEL PLATES COME IN TWO SEPARATE OVERLAPPING PIECES






CAPITAL PLAIN FASCIA PLATE BRUSHED STEEL (BLACK STEEL BACK PLATE) SUITABLE FOR USE WITH MULTI-FUEL



CAPITAL PLAIN FASCIA PLATE BRUSHED STEEL (BRUSHED STEEL BACK PLATE)




CAPITAL CLASSIC FASCIA PLATE BRUSHED STEEL (BLACK STEEL BACK PLATE) SUITABLE FOR USE WITH MULTI-FUEL



CAPITAL CLASSIC FASCIA PLATE BRUSHED STEEL (BRUSHED STEEL BACK PLATE)

Insert



	A	В	C	D	E	F	G
CAPITAL CLASSIC PLATE	980	980	420	570	840	875	n/a
CAPITAL PLAIN PLATE	980	980	420	575	660	780	n/a
MERRICK	940	940	420	575	860	865	75
OXFORD	940	940	420	575	865	865	75
PROVIDENT	940	940	420	575	805	850	65


Hobs at a glance



Tiled Inserts at a glance



Insert




	A	В	С	D	E	F	G	- 1	J	K
CLASSIC HOB	980	980	660	780	865	890	10	745*	940**	260***
PLAIN HOB	980	980	660	780	690	795	10	745*	940**	260***
NOUVEAU	940	940	410	575	841	890	75	470	615	200

- allows 30mm each side for tolerances and backfilling allows 30mm clearance under lintol and 50mm hearth allows a gap of 30mm for back filling and to take up tolerance. This dimension assumes that the hob is fitted in a 75mm rebated mantel

Chambers at a glance



& 2 x SIDE PIECES - 450mm(W) x 1000mm(H)



610mm(W) x 100mm (H) x 25mm(D) (2 PACKS REQUIRED TO MAKE A CHAMBER)

Tiles at a glance



Sirius stoves at a glance







Sirius Cleanburn Stoves at a glance













SIRIUS 450 CONTEMPORARY INSET

CONTEMPORARY

SIRIUS 750 CONTEMPORARY

	WIDTH	HEIGHT	DEPTH	ТОР	REAR	FLUE DIAMETER	OUTPUT	EFFICIENCY	DEFRA APPROVED	CTR OF FLUE TO BACK OF STOVE	VENT REQUIRED
SIRIUS 405 ORIGINAL	405	560	375	~	~	125	4.9kW	78%	×	100	X
SIRIUS 545 ORIGINAL	545	610	365	~	V	150	8.4kW	79%	×	110	V
SIRIUS 645 ORIGINAL	645	640	415	V	~	150	10.5kW	76%	×	120	V
SIRIUS 405 ORIGINAL CLEANBURN	405	540	375	~	~	125	4.9kW	78%	V	100	X
SIRIUS 405 CLASSIC CLEANBURN	420	595	370	V	~	125	4.9kW	78%	V	105	x
SIRIUS 545 CLASSIC CLEANBURN	580	610	365	~	~	150	8.4kW	67%	V	110	✓
SIRIUS 450 CONTEMPORARY INSET	470	590	410	ANG	GLED	125	4.5kW	81%	V	N/A	X
SIRIUS 450 CONTEMPORARY CLEANBURN	410	625	290	~	V	125	4.5kW	81%	V	95	X
SIRIUS 750 CONTEMPORARY CLEANBURN (ROOM SEALED)	530	860	320	~	~	150	7.5kW	80%	V	110	(room sealed)

All the stoves have been CE approved to EN13240

Firebaskets







BAMBURGH AVAILABLE IN BLACK & FULL POLISHED (WITH OR WITHOUT BACK)



CLIFFORD AVAILABLE IN BLACK & FULL POLISHED

	WIDTH	DEPTH	HEIGHT
ARUNDEL	420	275	396
BAMBURGH - NO BACK	450	280	240
BAMBURGH - WITH BACK	450	290	395
CLIFFORD	425	280	375

Table 1 CLASS 2 **PRE-CAST FLUE NO CHIMNEY** Commonly in older houses, earlier than 1960. Either an older house where the existing Modern houses generally later than Modern houses often have no chimney. The Class 1 chimney is identifiable by 7" chimney has been lined by a proprietary steel 1960 often have a pre-cast concrete You can use a modern decorative (180mm) or greater diameter flue. The existing flue or a newer house with a steel flue built in. chimney system, identifiable by a electric fire, either with no heat for chimney must be structurally sound, please This chimney type is identifiable by a 5" (130 rectangular box section flue and a aesthetics or an efficient fire with up to check before the installation of a new fireplace. mm) diameter flue and a steel flue terminal. 2kW heat output. terminal, as illustrated in the picture. LPG ELECTRIC BALANCED FLUE ELECTRIC

Fireframes





ABRI & CAPELLA FIREFRAMES

- FINISHES: ANTIQUE BRASS
- BLACK
- BRONZE
- CHROME • POLISHED





FLARE & MIZAR FIREFRAMES

- FINISHES
- ANTIQUE BRASS
- BLACK
- BRONZE
- CHROME • POLISHED



PROVIDENT FIREFRAME HIGHLIGHT

Standard Trim finishes



Gradient Trim finishes



Flat Trim finishes









Fret options







BLACK AVAILABLE IN 16" & 18"



CHROME FINISH



DIAMOND BLACK







ANTIQUE BRASS FINISH AVAILABLE IN 16"



FIRE	TECHNICAL C		CERA	MICS	FII	REF	RAN	MES		ADII TRIN			ST	ANI TRI	DARD IM			FLAT		F	RET	S		
	INPUT	МАХ. ОИТРИТ	INSET DEPTH	MAX. EFFICIENCY	COALS	PEBBLES	ABRI	CAPELLA	FLARE	MIZAR	ANTIQUE BRASS	BLACK	SATIN STEEL	ANTIQUE BRASS	BLACK	BRUSHED STAINLESS STEEL	POLISHED STAINLESS STEEL	DIAMOND BLACK	ANTIQUE BRASS	BRUSHED STAINLESS STEEL	POLISHED STAINLESS STEEL	16" BAUHAUS	18" BAUHAUS	BLENHEIM
OPEN FRONTED CONVECTOR GAS FIRE (CLASS 1)	6.9kW	4.0kW	235mm	64.8%	~	~	~	~	~	~				~	~	~	~	~				~	~	~
OPEN FRONTED CONVECTOR GAS FIRE (CLASS 2)	6.0kW	3.4kW	135mm	62.8%	~	~	~	~	V	V				V	~	V	~	~				~	~	~
GLASS FRONTED CONVECTOR (SLIDE CONTROL)	5.0kW	4.4kW	185mm	88.7%	~		~	~	~	~				~	~	~	~	~				~	~	~
GRADIENT GLASS FRONTED CONVECTOR (SLIDE CONTROL)	5.5kW	3.5kW	195mm	79.5%	~						~	~	V									~	~	~
BALANCED FLUE GAS FIRE	3.8kW	2.8kW	145mm	75.0%	~																~	~		
DECORATIVE OPEN FRONTED GAS FIRE	6.9kW	3.5kW	245mm	50.0%	~	~								~	~	~	~	~				V	~	~
PLANAR ELECTRIC INSET FIRE (REMOTE CONTROL)	1.5kW	1.5kW	75mm	99.0%	~														~	~	•	~	•	~
ELECTRIC INSET FIRE (REMOTE CONTROL)	2kW	2kW	75mm	98.0%	~	~								~	~	V	~	~				~	~	~