

BFM Europe Limited, Trentham Lakes, Stoke-on-Trent, Staffordshire ST4 4TJ

Tel: 01782 339000 www.bfm-europe.com

email: info@bfm-europe.com Fax: 01782 339009

# Kinder

FIRES FOR LIFE

fires & surrounds 2011-12

 $With thanks to GB \ Mantels \ and \ Stanning ley \ Firesides \ for \ supplying \ some \ of \ the \ fire \ surrounds \ used \ in \ this \ brochure.$ 











# Kinder

FIRES FOR LIFE



#### Introduction & Our Guarantee

Refere you begin	
Kinder fires for life	



26

28

30

32 34 36

38 40 42

## highefficiency Inspired design. Advanced technology.

About Kinder high efficiency fires	6	Atina HE
High efficiency Hearth Mounted fi	res	Eden HE
Oasis Plus	8	Carmelo HE
Kalahari Plus	10	High efficiency suit
Nevada HE	12	Avelli Suite
Kalahari HE	14	Da Vinci Suite
Camber HE	16	Distinction Suite
Oasis HE	18	Balanced flue fires
High efficiency Hole in the Wall fir	res	Dakota
Passion HE	20	Revolution
Cameo HE	22	Limours
Proclaim HE	24	



#### Hearth Mounted fires

Nevada	44
Kalahari	46
Camber	48
Black Magic	50
Oasis	52
Caesar	54



#### Options & technical information

Finishing touches	56
Kinder powerflue fires	59
Kinder Fire Surrounds	60
Servicing & guarantee	61

## **Welcome to Kinder**

At Kinder we know how important it is to create a stylish and relaxing living environment.

That's why we've developed this collection of premium gas fires and surrounds to complement all tastes and lifestyles.

I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards.

As a result all Kinder fires carry a 7 year guarantee to reflect my belief in their quality and durability, and our experienced Kinder retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Kinder fire as simple as possible. I hope you will find it both informative and inspiring.









Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Kinder branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



2 3

## Kinder

FIRES FOR LIFE



#### There is nothing like the immediate warmth and comfort of a Kinder gas fire

Designed to suit your lifestyle with a combination of appealing looks, outstanding warmth and practical attention to detail - Kinder designs gas fires for all tastes, from traditional to contemporary, and including many models available as powerflue and balanced flue options.

All our fires feature a Flame Supervision Device (FSD) and all conventional flue models feature an Oxygen Depletion Sensor (ODS) for maximum safety. The ODS is a device which shuts off the gas supply to the main burner in the unlikely event of a fault. The FSD is a device which detects the presence of a flame, and in the absence of that flame, prevents uncontrolled release of gas to the burner.

Kinder products are stocked by leading independent fire specialists located

throughout the UK. These retailers are fully trained to make the choice and subsequent installation of your Kinder fire as seamless as possible. By dialing 0800 040 7959 you will be connected directly to your nearest Kinder stockist. Alternatively you may prefer to visit our website at www.gas-fires.co.uk

Everything you need to know about gas fires, from alternative power supplies to flue types is on the following pages, so you can sit back and relax with Kinder from the start.



#### Our Guarantee

Kinder fires are built to last at our state-of-theart UK manufacturing facility, where our quality standards meet the stringent demands of ISO 9001/2000. That's why we offer a 7 year guarantee as standard on all our fires. See page 57 for details.

## Before you begin

There is a Kinder fire for all tastes, from traditional to contemporary chic. However, before you make your final selection, please take time to consider the following:

#### Radiant or Convector?

A radiant fire emanates heat from the combustion chamber only, which is why Kinder radiant fires incorporate a glowing back panel to maximise heat output. A convector fire has the added benefit of a heat exchanger attached to the back of the fire. This draws cool air in and sends it back out into the room as hot air, maximising heat output whilst keeping your fuel bills down.

#### Power

Your gas supply will either be Natural Gas or LPG, depending on the area in which you live.





LPG - Alternative for houses with no Natural Gas supply.

#### Chimney or Flue

Your choice of fire will be dictated by the type of chimney or flue you have. If you're not sure, then take a look at your roof and cross-reference it with the simple guide on the right. It is also worth noting that a slimline fire will fit virtually any chimney or flue, whereas a full-depth often requires a traditional chimney or rebate on the fire surround. Please confirm your flue type by consulting your



#### **Brick Chimney**

A conventional brick chimney is recognisable by a chimney stack with a terracotta pot or



#### Pre-Fabricated Flue

This is an interlocking metal flue tube system identifiable by a metal flue and terminal on the roof and a metal flue box behind

#### Pre-Cast Flue



Built from concrete or clay blocks, pre-cast flues provide a rectangular section flue. They can be identified by a ridge vent or metal flue tube and terminal on the roof.

#### No Chimney or Flue

Kinder Stockist before purchase.

Some properties have no chimney or flue, in which case a balanced flue or powerflue is required.



Powerflue fires expel the flue gases directly outside the building through the use of an electronically driven fan unit mounted on the external wall. A sophisticated microprocessor nonitors performance and automatically shuts off the fire in the unlikely event of operation failure.



Balanced Flue fires vent directly outside through a horizontal co-axial pipe (one pipe within a larger pipe). The outer pipe draws air in from the outside and the inner pipe expels combustion gases. An electricity supply is not required for these products.

#### Controls

Gas is wonderfully controllable, but which type of control suits you best? The discretion of manual ignition, concealed behind the removable ash pan... the convenience of slide control...or the luxury and style of remote control?



#### Manual Control

Simple and discreet. The control system is located behind the fires fret or trim. Once the fire is lit rotate the control knob to adjust the flame height and heat output.



#### Slide Control

A convenient control system which is located on the top righthand side of the fire. Push and hold the lever down to ignite and move it up and down to adjust the flame height and heat output



#### Semi Remote Control

Light the fire using the manual control system located behind the fire's trim or fret then use the remote control handset to adjust the flame height and heat output.



#### **Fully Automatic** Easy Flame Control

Discreet, easy access buttons are used to ignite the fire and adjust heat and flame height



#### **Fully Remote** with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature and a programmable timer that can be pre-programmed to ensure your room will be warm whenever you wish.



#### **Fully Remote Control**

The remote control handset is used to light the fire as well as to adjust the flame height and heat



#### Touchlight

Control via two switches, On/Off

#### Fire Back Panel


Kinder offers a range of fire back panels chosen to compliment each individual fire. In some cases you may be offered a choice of back panel - look out for the symbols on the right.











Stone Brick Back Black Ribbed



Find your Kinder
High Efficiency gas fire...

# Inspired design

Advanced technology



#### Kinder High Efficiency gas fires - up to 94% net efficiency

Kinder has always had a reputation as a manufacturer of some of the most efficient fires on the market. Now we are setting new industry standards with the Kinder HE high efficiency range: exceptional heat output combined with lower running costs compared to standard gas fires.

Kinder's R&D team has invested in developing the technology to meet the key objective of producing gas fires that save energy and as a result, help to keep costs down.

How does a Kinder HE fire work? HE inset gas fires provide a higher efficiency as they produce both radiant and convected heat.

Radiant heat is generated by the fuel bed and reflected into the room by the glass front of the fire. At the same time convected heat is produced from cool air which is drawn through a heat exchanger and emitted through a canopy at the top of the fire as warm room air.











Page 26



Atina HE



























6







The Oasis Plus is the first full depth open-fronted high efficiency gas fire from Kinder. You can now achieve the look of a real open coal fire, combined with the convenience of gas fuel, at an incredible 74% net efficiency.


This stunning fire features an extra wide coal fuel effect bed, a beautiful flame picture and offers an incredible 4.6kW heat output.

Suitable for installation into standard brick chimneys and prefabricated flues, the Oasis Plus comes in a choice of manual, slide, easy flame or remote control and can be styled to suit your home with our wide range of trims and frets (see pages 56-58 for further details).



Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	6.9kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	4.6kW
Heat Output - LOW	2.3kW
Air vent required	Not normally









# Kalahari Plus highefficiency




The Kalahari Plus high efficiency gas fire boasts an impressive 70% net efficiency and can be installed in to almost any chimney or flue, include Pre-cast when fitted with a 3" rebated fire surround.


This open-fronted gas fire features a highly realistic coal fuel effect and is available as a manual, slide, easy flame or remote controlled fire. A pebble effect fuel bed can be purchased as an optional extra.

The Kinder Kalahari can be styled with most trims, frets and fascias in our wide range of gas fire accessories on pages 56-58.



Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	6.9kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	4.4kW
Heat Output - LOW	2.2kW
Air vent required	Not normally









# Nevada HE highefficiency




This slimline high efficiency fire boasts a net efficiency of up to 89% and will fit almost any chimney or flue including Pre-Cast

It also features a large viewing window and an incredible 3.2kW heat output.

Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	4.0kW
Heat Input - LOW	2.0kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	1.4kW
Air vent required	Not normally













# Kalahari HE highefficiency




With a net efficiency of 78%, the Kalahari HE has been designed to fit most flue types including Pre-Cast flues when installed with a 3" rebated fire surround. Coal and pebble fuel bed options are available.

Choose any trim and fret combination from the Kinder fascia range on pages 54 & 55 to complement your living area.

## Kinder Year Guarantee

Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.5kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	2.4kW
Air vent required	Not normally







ebble fuel bed.










The stylish polished fascia combined with a black ribbed interior and cool beach pebbles make the Camber HE a welcome centre-piece in any modern living room.

Boasting a net efficiency of 78% the Camber HE is economical as well as eye-catching. Manual and remote controlled models are available.

Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.5kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	2.4kW
Air vent required	Not normally
















Based on our most popular hearth mounted fire, the Oasis HE is the first model in the Kinder 'high efficiency' range. This glass fronted product is available with all Kinder trim and fret combinations.

The Oasis HE has an incredible 89% net efficiency and 4kW heat output, ensuring that this fire gives optimum heat combined with cost efficiency.



Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	5.0kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	4.0kW
Heat Output - LOW	2.3kW
Air vent required	Not normally











# Passion HE highefficiency



The Passion is a highly stylish glass fronted hole-in-the-wall fire and boasts a 78% net efficiency. Its compact, portrait dimensions and clean lines make it perfect for modern day living. It is available with either a coal or pebble fuel bed and a choice of two trim colours: champagne or polished silver.

Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.5kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	2.4kW
Air vent required	Not normally









Champagne trim and pebble fuel bed






# Cameo HE highefficiency



The petite dimensions of the Cameo HE make it perfect for modern living areas where space can be at a premium. This stunning high efficiency hole-in-the-wall fire comes with a highly realistic log fuel bed and is available in a choice of black or cream ribbed back panels and a variety of stylish, dual colour designer fascias in bronze and champagne, black and silver or black and black.

	Balanced Flue (BF)	Conventional Flue (CF)
Safety	FSD	FSD & ODS
Type of heat	Radiant & Convected	Radiant & Convected
Heat Input - HIGH	5.5kW	4.4kW
Heat Input - LOW	3.0kW	3.1kW
Heat Output - HIGH	4.2kW	3.5kW
Heat Output - LOW	2.3kW	2.5kW
Air vent required	Not normally	Not normally









Black and Silver trim



Black trim

Cameo HE with Bronze and Champagne trim





# Proclaim HE highefficiency




With a heat output of 4.3kW and net efficiency of up to 87% the Proclaim HE is one of the most economical hole-in-the-wall fires available for standard brick chimney installation.

The Proclaim HE features a beautifully realistic log fuel bed and a choice of two models; a stylish black and polished silver fascia with black back panels and bronze and champagne fascia with cream back panels.

## Kinder Year Guarantee

	Balanced Flue (BF)	Conventional Flue (CF)
Safety	FSD	FSD & ODS
Type of heat	Radiant & Convected	Radiant
Heat Input - HIGH	7.5kW	5.4kW
Heat Input - LOW	3.5kW	3.0kW
Heat Output - HIGH	5.5kW	4.2kW
Heat Output - LOW	2.6kW	2.3kW
Air vent required	Not normally	Not normally







Cream with bronze & champagne trim



Black with black trim

Cameo HE with Black and silver fascia









The Atina HE's perfect petite proportions and fabulous black reflective interior combined with a spellbinding flame makes this little hole-in-the-wall gas fire a magnificent centre-piece for smaller modern living areas.


The Atina HE features a maximum heat output of 3.5kW and is controlled by a fully sequential remote control system\* with thermostatic operation so you can always maintain a comfortable room temperature that suits you.

\*A 240V 3amp mains electricity supply is required.
Please refer to installation manual for more information regarding installation requirements before you start the installation.

Safety	FSD & ODS	
Type of heat	Radiant & Convected	
Heat Input - HIGH	5.0kW	
Heat Input - LOW	3.0kW	
Heat Output - HIGH	3.5kW	
Heat Output - LOW	1.7kW	
Air vent required	Not normally	

All specifications shown relate to natural gas models only









Wide antique brass fascia and logs



Trimless with white stones



Glass champagne fascia and logs



Glass silver fascia and white stones

Atina HE with Wide polished silver fascia and white stones









This glass fronted landscape hole-in-the-wall fire has an incredible 83% net efficiency and up to 5.2kW heat output. It features an enchanting flame picture and comes with a choice of log or white stone fuel bed.

The Eden HE has been designed as a trimless\* fire for a very minimalist appearance, or team with an optional designer trim for a more prominent centrepiece.

\*A 240V 3amp mains electricity supply is required to power the remote control system.

Please refer to installation manual for more information regarding installation requirements before you start the installation.

#### Specifications

	Balanced Flue (BF)	Conventional Flue (CF)
Safety	FSD	FSD & ODS
Type of heat	Radiant & Convected	Radiant & Convected
Heat Input - HIGH	6.3kW	6.9kW
Heat Input - LOW	2.0kW	3.5kW
Heat Output - HIGH	4.8kW	5.2kW
Heat Output - LOW	1.3kW	2.0kW
Air vent required	Not normally	Not normally

All specifications shown relate to natural gas models only










Chimney or Flue




Fully Remote with Thermostat







Dimensions for the Eden Balanced Flue model may vary please consult the installation manual for further details.



Slimline fascia A 376mm

C 15mm



#### Deluxe fascia

A 456mm B 950mm

C 15mm





Trimless with logs



Slimline with pebbles



Slimline Antique Brass fascia with logs




Deluxe Polished Silver fascia with white stones



Deluxe Antique Brass fascia with logs

Eden HE Trimless with white stones





# Carmelo HE highefficiency



If you're looking for extravagance combined with exceptional heat output then the Carmelo HE is the ideal gas fire for you. With a viewing area measuring 1145mm along with an enchanting flame picture this hole-in-the-wall fire is certainly a show-stopper, and with a heat output of 6.5kW and up to 75% net efficiency it provides exceptional performance too. What's more this fire can be installed almost anywhere in the home since it uses a balanced flue system with a choice of horizontal flue, vertical flue or chimney conversion flue kits available to choose from. Both log and white stone fuel beds are supplied with every fire.


\*A 240V 3amp mains electricity supply is required to power the remote control system.

#### Specifications

Safety	FSD	
Type of heat	Radiant & Convected	
Heat Input - HIGH	9.5kW	
Heat Input - LOW	5.5kW	
Heat Output - HIGH	6.5kW	
Heat Output - LOW	3.0kW	
Air vent required	Not normally	

Heat input and output figures refer to natural gas models and measured on 350mm horizontal flue duct in accordance with clause 7.11 of BS EN 613:2001













# Avelli Suite highefficiency



The Avelli gas fire suite is small in size but big in style. This beautiful fireplace comes in a choice of limestone or travertine surround and features a large, high efficiency gas fire with extremely realistic log effect fuel bed and a heat output of 4.2kW. The fire comes in a choice of black ribbed, cream ribbed or brick effect interior and is operated by a fully sequential remote control system.

This fire is suitable for installation in to a standard brick chimney or pre-fabricated flue. A balanced flue version is also available for homes without a standard chimney or flue system.




#### Specifications

	Balanced Flue (BF)	Conventional Flue (CF)
Safety	FSD	FSD & ODS
Type of heat	Radiant & Convected	Radiant & Convected
Heat Input - HIGH	5.7kW	6.2kW
Heat Input - LOW	4.4kW	4.8kW
Heat Output - HIGH	4.5kW	4.2kW
Air vent required	Not normally	Not normally

\*Net efficiency refers to conventional flue models only. Balanced flue models have an 84% net efficiency







Avelli Suite in travertine with cream ribbed back panels



Avelli Suite in travertine with brick effect back panels





## Da Vinci Suite HE highefficiency



This stunning fireplace is sure to be the centre of attention in any home. Its highly realistic log fuel bed is complemented by a beautiful and mesmerising lazy flame.


The classically designed surround will suit any decor and with a choice of brick effect or black ribbed back panels and Limestone or Travertine surround you can create either a traditional or contemporary look.


This balanced flue fire features thermostatic operation and an incredible 83% efficiency. A chimney conversion kit is available for installation into a standard brick chimney.



Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	8.7kW
Heat Input - LOW	5.5kW
Heat Output - HIGH	6.5kW
Heat Output - LOW	3.5kW
Air vent required	Not normally

All figures measured on 350mm horizontal flue duct in accordance with clause 7.11 of BS EN 613 : 2001







Limestone with black ribbed back





## Distinction Suite HE highefficiency



The subtle chamfered edges of the Distinction combined with a realistic log fuel bed and beautiful mesmerizing flame create a luxurious and timeless quality.


A choice of brick effect or black ribbed back panels and Limestone or Travertine surround is available.


This balanced flue fire features thermostatic operation and an incredible 83% efficiency. A chimney conversion kit is available for installation into a standard brick chimney.



Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	8.7kW
Heat Input - LOW	5.5kW
Heat Output - HIGH	6.5kW
Heat Output - LOW	3.5kW
Air vent required	Not normally

All figures measured on 350mm horizontal flue duct in accordance with clause 7.11 of BS EN 613 : 2001







Travertine with brick effect back panels





## Dakota Balanced Flue highefficiency




The Dakota's stylish glass front is instantly eye-catching and helps ensure incredible efficiency.

As the Dakota is designed exclusively as a balanced flue model, even those without a chimney can still enjoy the benefits of having a Kinder gas fire.

Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	3.8kW
Heat Input - LOW	2.5kW
Heat Output - HIGH	2.8kW
Heat Output - LOW	1.7kW
Air vent required	Not normally









Black trim and fret



Silver trim and fret







## Revolution Balanced Flue highefficiency



Designed to fit into a standard cavity wall with a 3" rebated surround the Revolution Balanced Flue gas fire boasts net efficiency of up to 94% and features a full depth coal fuel bed. This glass fronted fire has an exceptionally large viewing area and can be styled with a variety of trims and frets available from the Kinder accessories range.

Safety	FSD	
Type of heat	Radiant & Convected	
Heat Input - HIGH	4.6kW	
Heat Input - LOW	3.0kW	
Heat Output - HIGH	4.3kW	
Air vent required	Not normally	











## Limours Balanced Flue highefficiency




The Limours is Kinder's first dedicated wall mounted balanced flue fire. No chimney is required as this fire is flued directly though an outside wall. It can be simply hung on the wall with no need for any extensive building work or recessed when fitted with an additional wall plate.

The Limours is remote controlled and features a contemporary graphite fascia with stainless steel detail and an aggregate stone effect fuel bed.



Safety	FSD	
Type of heat	Radiant & Convected	
Heat Input - HIGH	4.8kW	
Heat Input - LOW	2.2kW	
Heat Output - HIGH	4.2kW	
Air vent required	Not normally	







Wall recessed installation





## Nevada


With its ultra slim design, the Nevada will fit beautifully into almost any fireplace and is also available in a powerflue version for homes without a chimney or flue. With the natural ambient glow of real-effect coals and flames, it will suit your lifestyle and your home perfectly. A pebble bed version is also available.

#### Specifications

 $^{\dagger}\text{Available}$  in Manual Control only

	Conventional Flue (CF)	Powerflue (PF)
Safety	FSD & ODS	FSD & ODS
Type of heat	Radiant	Radiant
Heat Input - HIGH	6.5kW	6.5kW
Heat Input - LOW	4.2kW	4.2kW
Heat Output - HIGH	3.3kW	3.2kW
Heat Output - LOW	1.5kW	1.9kW
Air vent required	Not normally	Not normally









Pebble fuel bed option






## Kalahari

The Kalahari instantly brings a room to life. This market leading radiant offers a real open fire look and incorporates a full-depth ceramic coal bed for beautifully realistic flames and an inviting charm. Designed to fit snugly into a pre-cast flue with a standard 3" rebate on the surround, the fire exudes a welcoming heat with maximum efficiency.

	Conventional Flue (CF)	Powerflue (PF)
Safety	FSD & ODS	FSD & ODS
Type of heat	Radiant	Radiant
Heat Input - HIGH	6.9kW	6.9kW
Heat Input - LOW	4.2kW	4.2kW
Heat Output - HIGH	3.3kW	3.6kW
Heat Output - LOW	1.5kW	2.0kW
Air vent required	Not normally	Not normally












## Camber

The Camber's contradictory balance of cool beach pebbles and blazing dancing flames captivate you on entering the room. Precision manufacturing and the unique pebble design provide an individual combination of aesthetic beauty with high quality performance. Camber Black features black ribbed back panels, cool grey pebbles and a polished silver trim. Camber Cream is available with champagne or silver trim and features cream ribbed back panels and a warm beige pebble bed.

Don't have a chimney? Don't worry. This breathtaking fire will fit almost any home.

Model Performance	Conventional Flue (CF)	Powerflue (PF)		
Safety	FSD & ODS	FSD & ODS		
Type of heat	Radiant	Radiant		
Heat Input - HIGH	6.9kW	6.9kW		
Heat Input - LOW	4.2kW	4.2kW		
Heat Output - HIGH	3.3kW	3.6kW		
Heat Output - LOW	1.5kW	2.0kW		
Air vent required	Not normally	Not normally		














# Black Magic

A contemporary coal effect gas fire that fits in to almost all flue types including pre-cast with a 3" rebated fire surround.

The textured fascia provides the finishing touch to a stunning design that is also available as a powerflue.

		Powerflue (PF)
Safety	FSD & ODS	FSD & ODS
Type of heat	Radiant	Radiant
Heat Input - HIGH	6.9kW	6.9kW
Heat Input - LOW	4.2kW	4.2kW
Heat Output - HIGH	3.3kW	3.6kW
Heat Output - LOW	1.5kW	2.0kW
Air vent required	Not normally	Not normally













## **Oasis**

The Oasis successfully marries classic looks with state-of-the-art performance and is currently one of the warmest open-fronted convector fires. The full-depth fuel bed gives a mesmerising flame effect and cosy glow ensuring an attractive centrepiece to any room.

#### Specifications

	Oasis & Oasis Low Lintel			
Safety	FSD & ODS			
Type of heat	Radiant & Convected			
Heat Input - HIGH	6.9kW			
Heat Input - LOW	4.2kW			
Heat Output - HIGH	4.0kW			
Heat Output - LOW	1.5kW			
Air vent required	Not normally			









Oasis with Chamfered brass trim, Dallas brass fret




## Caesar

The Caesar is a full depth convector fire featuring a highly realistic coal fuel bed and is available in manual, slide or remote control. It comes complete with a very luxurious polished silver cast iron trim and fret combination.

#### Specifications

Safety	FSD & ODS				
Type of heat	Radiant & Convected				
Heat Input - HIGH	6.9kW				
Heat Input - LOW	4.2kW				
Heat Output - HIGH	4.0kW				
Heat Output - LOW	1.5kW				
Air vent required	Not normally				









Caesar with Kinder Leon surround

# Finishing touches

Kinder also offers a range of fascias, trims and frets to complete the look of your chosen gas fire. In some cases products will be sold complete with the fascias or trims shown in this brochure. Please consult your retailer for more details.

## **Fascias**



Camber Silver



Corinthian Silver



Camber Champagne



Corinthian Brass



Black Magic



Corinthian Black

## Trim options

#### Designer trim



Designer Brass

Designer Black/Brass



Designer Brass/Black



Designer Silver



Designer Black/Silver


Standard trim



Standard Brass




Standard Silver



Standard Brushed



Chamfered Brass



Chamfered Silver

Cast iron trims



Cast Brass





Caesar Polished



Wide Brass


## Fret options



Dallas Black







Vegas Brass





Bauhaus Brass

Bauhaus Polished







Aegis Polished

56 57



## Finishing touches at a glance


To find out if your preferred fascia, or trim and fret combination, is suitable for the fire you have chosen, please refer to the table here:


Fire	Frets	Trims						Fascias	
	Aegis/Athena/Bauhaus/ Caesar/Dallas/Vegas	Standard	Wide Brass	Chamfered	Designer	Cast	Caesar	Camber/ Black Magic	Corinthian
Oasis Plus MC & RC	✓	1	1	✓	1	✓			
Oasis Plus SC	✓	1	1	✓	1	1			
Nevada HE	✓	1	1	✓	1	✓			
Kalahari HE	✓	1	✓	✓	1	1			
Oasis HE MC & RC	✓	1	1	✓	1	1			
Oasis HE SC	✓	1			1				
Dakota MC BF	✓	1							
Revolution BF	✓	1	1	✓	1				
Nevada MC (Also PF)	✓	1	1	✓	1	✓			✓
Nevada SC	✓	1			1				
Kalahari MC (Also PF)	✓	1	1	✓	1	1		✓	✓
Kalahari SC	✓	1			1				
Kalahari RC	✓	1	1	✓	1	1		✓	✓
Oasis MC & RC	1	1	1	1	1	1	1	✓	1
Oasis SC	1	1			1		1		
Oasis LL MC	✓	<b>/</b> †							


Atina, Caesar, Camber, Cameo, Carmelo, Eden, Limours, Passion and Proclaim models can only be purchased complete with the fascia shown. †Only available in Brass or Black.

## Powerflue installation possibilities










An example of a powerflue installation using three bends.



An example of a powerflue installation using a vertical section of flue pipe and two bends.

## Kinder powerflue fires




A gas fire creates a welcoming heart to any living room but many newer homes are being built without a chimney or flue so a conventional gas fire is not an option.

However, powerflue (PF) gas fires have been specifically designed for homes without a conventional flue system providing a gas fuelled alternative heat source to an electric fire or radiator.


Several of the models in the Kinder range are available as a powerflue model including the Black Magic, Camber, Kalahari and the Nevada.




The Kinder Slimline Fan System fully recessed into an outside wall leaving only a discreet 3" projection. 96mm and 183mm spacers are available if required.



#### Nevada PF



#### Kalahari MC PF, Camber MC PF and Black Magic MC PF



## Fire Surrounds



#### Quality & choice as standard

Kinder Fire Surround Suites have been designed to impress, with the emphasis firmly on clean lines. This range of traditional and contemporary designs is manufactured in luxurious Portuguese Limestone.

#### Portuguese Limestone

Portuguese Limestone is a natural product and as such can be subject to variation in colour and veining. Small fossils and crystal lines may also be apparent in some sections of limestone making it an inherent feature of the product. These are not defects but mean that every suite will be entirely unique.

It is normally a requirement that all Limestone products be cleaned and sealed using Lithofin Power-Clean and Stain-Stop, or equivalent products, after installation. However, all Limestone products supplied by Kinder are pre-sealed to limit any marks which may be left on the product due to installation and further sealing should not be required.

When you receive your new surround there may be some colour variations. This is typical of Portuguese Limestone as the stone is a particularly porous material which absorbs moisture during manufacture and deep sea transport in the container. After 2-3 weeks in a room with an average temperature the surround will dry to a consistent colour.



Verona - page 23



Genoa - page 45




Venice



Leon - page 53

#### For more information visit www.bfm-europe.com

#### **Surrounds Dimensions**



	Α	В	С	D	E	F	G	Н	- 1
Genoa	1350mm	1115mm	425mm	565mm	1370mm	200mm	75mm	380mm	55mm
Leon	1370mm	1070mm	425mm	565mm	1370mm	200mm	75mm	400mm	50mm
Venice	1340mm	1075mm	425mm	565mm	1370mm	180mm	75mm	380mm	55mm
Verona	1290mm	1085mm	425mm	565mm	1370mm	185mm	75mm	380mm	55mm

## Servicing and our guarantee



We understand that your gas fire is going to be the heart of your home. That's why we are passionate about ensuring our gas fires offer the ultimate in build quality and looks.





From the beginning, our Design Team sets the standard by creating new and innovative products, so you'll find exactly the fire you have in mind. Then there's our Development Team. They consistently deliver higher safety and efficiency ratings to give you total confidence.

Furthermore, before we commence manufacture, all models are assessed and approved by leading independent organisations and each fire rigorously checked by our Quality Control Department prior to leaving our state-of-the-art facility.

All in all, guaranteeing that when you settle down in front of a Kinder fire, you'll have the very best in gas fire technology behind it.

Every Kinder gas fire carries a 7 Year Comprehensive Guarantee providing you with reassurance and peace of mind. This means that your fire is guaranteed for seven years against manufacturing and material defects, including parts and labour. There is also an Extended Lifetime Guarantee which covers all functional parts of the gas fire, excluding electronic components and labour costs. Both guarantees are subject to our 'Conditions of guarantee' including annual service and annual replacement of the oxy-pilot assembly.

We offer these guarantees, unlike other manufacturers, as a sign of our commitment to the highest standards of build quality, ensuring that life will revolve around your Kinder fire for many years to come. In-line with gas industry practice, we recommend that all gas appliances should be serviced annually by a Gas Safe Register engineer to ensure continued safe operation and optimum performance throughout the lifetime of the product. Gas Safe Register engineers are available directly through our Service Department.

60 61

# **Getting the most from Kinder**

Kinder

For more information about Kinder fires visit us at www.bfm-europe.com

FIRES FOR LIFE

- Use our search tools to find your perfect gas fire
- Find your nearest Kinder stockist



#### **IMPORTANT NOTICE**

WARNING BFM Europe Limited is a Gas Safe Register company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase.

Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.

In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.

(This brochure is copyright 2011 and must not be reproduced in whole or in any part without prior written permission).